

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	16	"5438511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:47
L2	2	"5438511".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:47
L3	2	"5727222".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:48
L4	2	"5819210".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:48
L5	2	"5903860".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:48
L6	2	"6064953".did.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:57
L7	985	(706/46 or 706/53 or 706/12) and @ad<"20020214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 13:10
L8	7105	(707/3 or 704/1) and @ad<"20020214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 13:10
L9	60	8 and computer and disjunction and conjunction	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 13:13
L11	272	computer and context and conjunction and disjunction and @ad<"20020214"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 13:14

S1	16	"5438511"	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 08:44
S2	6	backtrack-free	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/09/26 12:47

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)
SiteWelcome United States Patent and Trademark
Office**Search Results**[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)Results for "**((an assumption-based tms)<in>metadata)**"Your search matched **1** of **1237766** documents. [e-mail](#)A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in
Descending order.**» Search Options**[View Session History](#)[New Search](#)**Modify Search**☐ Check to search only within this results set**Display
Format:**☒ Citation ☐ Citation & Abstract**» Key**

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

- ☐ **1. Model-based object recognition: a truth maintenance a**
Provan, G.M.;
Artificial Intelligence Applications, 1988., Proceedings of the
Conference on
14-18 March 1988 Page(s):230 - 235
Digital Object Identifier 10.1109/CAIA.1988.196108
[AbstractPlus](#) | Full Text: [PDF\(516 KB\)](#) **IEEE CNF**

[View Selected Items](#)[Help](#) [Contact](#)[Security](#)Indexed by
 Inspec

© Copyright 2005 IE

[Subscribe \(Full Service\)](#) [Register](#)[Search:](#) [+An +Assumption-based +TMS](#)

THE ACM DIGITAL LIBRARY

[Feedback](#)Terms used [An Assumption based TMS](#)

Sort
results
by
Display
results

[Save results
a Binder](#)[Search Tips](#)☐ Open results
a new window

Results 1 - 19 of 19

¹ [An assumption-based localization tech
system](#)

Shin-ichi Wada, Yoshiyuki Koseki

June 1989

**Proceedings of the second inte
Industrial and engineering app**

intelligence and expert system

Full text available:  [pdf\(673.06 KB\)](#) Additional Information: [full c](#)

In troubleshooting large scale equipment interferences involve indeterminateness erroneous conclusions. To realize indeter assumption-based fault localization tech The technique allows inferences based o assumptions. When inconsistencies are c revised. The technique also enables flexi as reasoning based on anticipated test r

² Tools: B-SURE: a believed situation a representation environment

John K. Myers

August 1992 **Proceedings of the 14th conf linguistics - Volume 3**

Full text available:  [pdf\(409.43 KB\)](#) Additional Information: [full c](#)



This paper presents a system that is cap situations, states, and nondeterministic actions occurring in multiple possible wo explicit representations of actions and si action theory and situation theory. Both supported. Situations and states before actions can be represented simultaneous

to whether to choose to perform an action

3 Interactive incremental chart parsing

Mats Wirén

April 1989 **Proceedings of the fourth conference
chapter of the Association for Computational Linguistics**

Full text available:  [pdf\(739.19 KB\)](#) 

[Publisher Site](#)


Additional Information: [full conference proceedings](#)

This paper presents an algorithm for incremental chart parsing. It outlines how this could be embedded in a system, and discusses why this might be useful. Interactive parsing here means that input is analysed incrementally, allowing arbitrary changes of input without exhaustive reanalysis. Interactive parsing process is prompted immediately at the end of each input token, possibly that the system then may interact with the user.

4 The use of an ATMS in consistency checking system

Olav Hødnebo, Edvard Løkketangen

August 1993 **Proceedings of the 4th international conference on Artificial intelligence and law**

Full text available:  [pdf\(348.36 KB\)](#)

Additional Information: [full conference proceedings](#)

This paper describes how a legal expert use of an Assumption-based Truth Maint ATMS is a general construct that aids an track of the dependencies of the expert : handling inconsistencies in the expert sy database of the expert system into parti each consistent.

5 Diagnosis of power plant faults using c heuristic rules

Irina Obreja

June 1990

**Proceedings of the third intern
Industrial and engineering app
intelligence and expert system**

Full text available:  [pdf\(553.41 KB\)](#) Additional Information: [full c](#)

This paper presents results obtained in a industrial field of Nuclear Power Plants (I of the Emergency Feedwater System (EF system was developed which utilizes qua modeling the system and heuristic rules explanations of an observed malfunction system, the model and the global inferer discussed. Another purpose of the paper

6 Session 2C: life-like and believable qu
ethologically-inspired model to learn a
causality for planning in synthetic crea

Robert Burke, Bruce Blumberg

July 2002

Proceedings of the first interna
on Autonomous agents and m

Full text available:  pdf(284.73 KB) Additional Information: [full c](#)

Inspired by recent work in ethology and
integrate representations for time and ra
architecture for autonomous virtual crea
computational model of affect and action
to discover and refine their understandin
causality relationships which may or may
The fundamental action selection choice
in order to satisfy its internal needs is w

Keywords: apparent temporal causality
ethology, planning, reactive systems, sy
creatures

7

FLAMES: A Fuzzy Logic ATMS and M
System for Analog Diagnosis

F. Mohamed, M. Marzouki, M. H. Touati

March 1996

**Proceedings of the 1996 Euro
Design and Test**

Full text available:  [pdf\(609.47 KB\)](#) 
[Publisher Site](#)

Additional Information: [full c](#)

Diagnosing analog circuits with their nur
a very hard problem. Digital approaches
inappropriate, and AI-based ones suffer
this paper we present a new system, FLA
logic, model-based reasoning, ATMS ext
expertise in an appropriate combination
this problem.

8 Representing the structure of a legal a

C. C. Marshall

May 1989

**Proceedings of the 2nd interna
Artificial intelligence and law**

Full text available:  [pdf\(838.91 KB\)](#)

Additional Information: [full c](#)

**9 FAST: A large scale expert system for
software performance tuning**

A. E. Irgon, A. H. Dragoni, T. O. Huleatt

May 1988

ACM SIGMETRICS Performance

Proceedings of the 1988 ACM Symposium on Measurement and modeling

Volume 16 Issue 1

Full text available:  [pdf\(499.17 KB\)](#)

Additional Information: [full c](#)

¹⁰ Tools: Towards robust PATR

Shona Douglas, Robert Dale

August 1992 **Proceedings of the 14th conference on computational linguistics - Volume 2**

Full text available:  [pdf\(521.98 KB\)](#)

Additional Information: [full c](#)

We report on the initial stages of development of a system, to be used as part of *The Editor* which detects and corrects textual errors and improves syntax and style. Our mechanism extends the current formalism by indexing the constraints or rules for control of the application of these constraints. It provides an independent specification of grouping and ordering constraints, which can improve the efficiency of the system.

¹¹ Tools: B-SURE: a believed situation and its representation environment

John K. Myers

August 1992 **Proceedings of the 14th conference on computational linguistics - Volume 2**

linguistics - Volume 3


Additional Information: [full citation](#), [abstract](#), [references](#)

This paper presents a system that is capable of representing situations, states, and nondeterministic actions occurring in multiple possible worlds. It uses explicit representations of actions and situations based on action theory and situation theory. Both are supported. Situations and states before and after actions can be represented simultaneously. It allows to whether to choose to perform an action.

¹² Modeling and combining evidence from multiple sources: relationships using probabilistic argumentation

Justin Picard

August 1998 **Proceedings of the 21st annual SIGIR conference on Research in computer science information retrieval**

Full text available:  [pdf\(1.04 MB\)](#) Additional Information: [full citation](#)

¹³ CASE tool architecture for knowledge-based systems

Anneliese von Mayrhauser, Taewoong Jeon

October 1993 **Proceedings of the conference on Artificial Intelligence and Law**

Full text available:  [pdf\(890.42 KB\)](#) Additional Information: [full citation](#)

14 Reasoning with worlds and truth maintenance based programming environment

Robert Filman

April 1988 **Communications of the ACM**, Vol

Full text available:  [pdf\(1.80 MB\)](#)

Additional Information: [full c](#)
[term:](#)

In traditional knowledge-based system the fundamental representational building blocks such as frames, rules, and attached procedures has been extended to include both a constraint and truth maintenance system.

15 Dependency maintenance in declarative programming

Rüdiger Klein

May 1997 **Proceedings of the fourth ACM modeling and applications**

Full text available:  [pdf\(1.16 MB\)](#)

Additional Information: [full c](#)

16 DESIGN: a generic configuration shell

Michael R. Hall, J. S. Kaminski, Arumugan
Ruddock

June 1990 **Proceedings of the third international symposium on Artificial intelligence and engineering applications of**

Full text available:  [pdf\(954.66 KB\)](#) Additional Information: [full c](#)

17 Non-deterministic languages to express transformations

Serge Abiteboul, Eric Simon, Victor Vianu
April 1990 **Proceedings of the ninth ACM symposium on Principles of database**

Full text available:  [pdf\(1.30 MB\)](#)

Additional Information: [full c](#)
[terms](#)

The use of non-deterministic database languages is motivated by pragmatic and theoretical considerations. This paper shows how non-determinism resolves some difficulties concerning the expressive power of deterministic languages: there are languages expressing low complexity classes of queries which, whereas no such deterministic languages exist, yielding non-determinism are reviewed. Some related families of non-deterministic languages are also discussed.

18 Maintenance of stratified databases via a query rewriting system

K. Apt, J. M. Pugin

June 1987

Proceedings of the sixth ACM symposium on Principles of database systems

Full text available:  [pdf\(926.46 KB\)](#)

Additional Information: [full c term:](#)

We study here declarative and dynamic reasoning in the context of deductive databases. We consider here maintenance of a special class of databases, called stratified databases, introduced by Walker [ABW] and Van Gelder [VG] in which negation is disallowed. A stratified database is associated with it which is selected as its maintenance ...

19 Designing laboratory modules for novices **AI course track: artificial intelligence**

Robert M. Aiken, Dean Allemang, Thomas

March 1992

ACM SIGCSE Bulletin , Proceedings of the SIGCSE technical symposium on computer science education, Volume 24 Issue 1

Full text available:  [pdf\(446.93 KB\)](#)

Additional Information: [full c term:](#)

A current joint project between three institutions as its goal to create Artificial Intelligence

principles of AI at the University level. The Portable AI Lab (PAIL), illustrates basic Intelligence in a uniform and self-contained manner. This document discusses the design considerations that make the presentation of this material effective.

Results 1 - 19 of 19

Portal is published by the Association for Computing Machinery (ACM), Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#)

Useful downloads: [Adobe Acrobat](#) [QuickTime](#) [Real Player](#)



[Web](#) [Images](#) [Groups](#) [News](#) [Froogle](#) [Local](#) [more »](#)

"An Assumption-based TMS"

Search

[Adv](#)
[Pre](#)

Web Results 1 - 10 of about 860 for "**An Assumption-based TMS**". (0.15 sec)

An assumption-based TMS

Search: The ACM Digital Library The Guide. Please provide us with feedback.
Feedback Report a problem Satisfaction survey. **An assumption-based TMS ...**
portal.acm.org/citation.cfm?id=5974 - [Similar pages](#)

An assumption-based TMS

An assumption-based TMS. Source, Readings in nonmonotonic reasoning table of contents. Pages: 280 - 298. Year of Publication: 1987. ISBN:0-934613-45-1 ...

portal.acm.org/citation.cfm?id=42662 - [Similar pages](#)

ICDE 1988: 354-359

[DEKL86]: Johan de Kleer: **An Assumption-Based TMS**. Artif. Intell. 28(2): 127-162(1986) BibTeX; [DOYL79]: Jon Doyle: A Truth Maintenance System. Artif. ...

www.informatik.uni-trier.de/~ley/db/conf/icde/KanthB88.html - 9k -

[Cached](#) - [Similar pages](#)

DBLP: Johan de Kleer

14, Johan de Kleer: **An Assumption-Based TMS**. Artif. Intell. 28(2): 127-162 (1986).

13, Johan de Kleer: Extending the ATMS. Artif. Intell. ...

[www.informatik.uni-trier.de/~ley/db/indices/a-](http://www.informatik.uni-trier.de/~ley/db/indices/a-tree/k/Kleer:Johan_de.html)

[tree/k/Kleer:Johan_de.html](http://www.informatik.uni-trier.de/~ley/db/indices/a-tree/k/Kleer:Johan_de.html) - 19k - [Cached](#) - [Similar pages](#)

1. INTRODUCTION

... which motivates the utilization of some kind of belief revision system.

As already mentioned, in UMT2 we have adopted **an assumption-based TMS** mechanism. ...

www.dimi.uniud.it/~tasso/um91.html - 19k - [Cached](#) - [Similar pages](#)

[PDF] An Assumption-based Truth Maintenance System in Active Aid for ...

File Format: PDF/Adobe Acrobat

An Assumption-Based TMS. Artificial Intelligence 28: 127–162. Doyle, J. (1981).

A Truth Maintenance System. Artificial Intelligence 12: 231–272. ...

www.ingentaconnect.com/content/klu/aire/2000/00000014/00000003/00151174

- [Similar pages](#)

Citations: Artificial Intelligence - Brown (ResearchIndex)

... applying this technique introduces two strong (meta)assumptions: All the

J. de Kleer: **An Assumption-based TMS**, Artificial Intelligence, 28, 1986. ...

citeseer.ist.psu.edu/context/44258/0 - 39k - [Cached](#) - [Similar pages](#)

[PDF] AnAssumption-based TMS

File Format: PDF/Adobe Acrobat - [View as HTML](#)

TMS—it does not intrinsically depend on **an assumption-based TMS**. ... **AN ASSUMPTION-BASED**

TMS. 131. The ATMS and its interface protocol share a great deal of ...

[www2.parc.com/spl/members/dekleer/Publications/An%20Assumption-Based%](http://www2.parc.com/spl/members/dekleer/Publications/An%20Assumption-Based%20TMS.pdf)

[20TMS.pdf](http://www2.parc.com/spl/members/dekleer/Publications/An%20Assumption-Based%20TMS.pdf) - [Similar pages](#)

[4-20] Nonmonotonic Reasoning and Truth Maintenance Systems (TMS)

De Kleer, J., "**An assumption-based TMS**", Artificial Intelligence 28:127-162, 1986.

De Kleer, J., "Extending the ATMS", Artificial Intelligence 28:163-196, ...

www.faqs.org/faqs/ai-faq/general/part4/section-21.html - 5k -

[Cached](#) - [Similar pages](#)

[PDF] Implementing Constraint Relaxation over Finite Domains using ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)

An assumption-based tms. Artificial Intelligence. , 28:127{162,. 1986. 6. Johan de

Kleer. A comparison of ATMS and CSP techniques. In. IJCAI-89: ...

www.emn.fr/jussien/publications/jussien-OCSCP95.pdf - [Similar pages](#)

Google

Result Page: 1 2 3 4 5 6 7 8 9 10 [Next](#)



Free! Instantly find your email, files, media and web history. [Download now.](#)

"An Assumption-based TMS"

Search

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)
SiteWelcome United States Patent and Trademark
Office[Search Results](#)[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((computer and context and disjunction and conjunction)
<in>metadata)) <and> (pyr >= ...)"

[e-mail](#)

Your search matched 0 documents.

A maximum of 100 results are displayed, 100 to a page, sorted by **Relevance** in
Descending order.

» [Search Options](#)[View Session History](#)[New Search](#)[Modify Search](#)☐ Check to search only within this results set**Display
Format:**☒ Citation ☐ Citation & Abstract» [Key](#)

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

No results were found.

Please edit your search criteria and try again. Refer to the Help page
assistance revising your search.

[Help](#) [Contact](#)[Security](#)Indexed by
 Inspec

© Copyright 2005 IE

[Home](#) | [Login](#) | [Logout](#) | [Access Information](#)
SiteWelcome United States Patent and Trademark
Office**Search Results**[BROWSE](#)[SEARCH](#)[IEEE XPLORE GUIDE](#)

Results for "(((computer and context and disjunction)<in>metadata)) <and> (pyr >= 1951 <and>..."

☒ e-mail

Your search matched 0 documents.

A maximum of 100 results are displayed, 100 to a page, sorted by **Relevance** in **Descending** order.**» Search Options**[View Session History](#)[New Search](#)**Modify Search**☐ Check to search only within this results set**Display
Format:**☒ Citation ☐ Citation & Abstract**» Key**

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

No results were found.Please edit your search criteria and try again. Refer to the Help page
assistance revising your search.[Help](#) [Contact](#)[Security](#)Indexed by
 Inspec

© Copyright 2005 IE



Home | Login | Logout | Access Information
Site

Welcome United States Patent and Trademark
Office

Search Results

BROWSE

SEARCH

IEEE XPLORE GUIDE

Results for "(((computer and disjunction)<in>metadata)) <and> (pyr >= 1951 <and> pyr <= ..."

e-mail

Your search matched 14 of 1239820 documents.

A maximum of 100 results are displayed, 100 to a page, sorted by Relevance in Descending order.

» Search Options

[View Session History](#)

[New Search](#)

Modify Search

☐ Check to search only within this results set

Display
Format:

☒ Citation ☐ Citation & Abstract

» Key

IEEE JNL	IEEE Journal or Magazine
IEE JNL	IEE Journal or Magazine
IEEE CNF	IEEE Conference Proceeding
IEE CNF	IEE Conference Proceeding
IEEE STD	IEEE Standard

Select Article Information

- ☐ **1. Tracking the best disjunction**
Auer, P.; Warmuth, M.K.;
Foundations of Computer Science, 1995. Proceedings., 36th Symposium on
23-25 Oct. 1995 Page(s):312 - 321
Digital Object Identifier 10.1109/SFCS.1995.492487
[AbstractPlus](#) | Full Text: [PDF\(732 KB\)](#) IEEE CNF
- ☐ **2. Deterministic generators and games for LTL fragments**
Alur, R.; La Torre, S.;
Logic in Computer Science, 2001. Proceedings. 16th Annual Symposium on
16-19 June 2001 Page(s):291 - 300
Digital Object Identifier 10.1109/LICS.2001.932505
[AbstractPlus](#) | Full Text: [PDF\(864 KB\)](#) IEEE CNF
- ☐ **3. Learning conjunctions of Horn clauses**
Angluin, D.; Frazier, M.; Pitt, L.;
Foundations of Computer Science, 1990. Proceedings., 31st Symposium on
22-24 Oct. 1990 Page(s):186 - 192 vol.1
Digital Object Identifier 10.1109/FSCS.1990.89537
[AbstractPlus](#) | Full Text: [PDF\(496 KB\)](#) IEEE CNF
- ☐ **4. 0-1 laws for infinitary logics**
Kolaitis, P.G.; Vardi, M.Y.;
Logic in Computer Science, 1990. LICS '90, Proceedings., IEEE Symposium on
4-7 June 1990 Page(s):156 - 167
Digital Object Identifier 10.1109/LICS.1990.113742
[AbstractPlus](#) | Full Text: [PDF\(772 KB\)](#) IEEE CNF
- ☐ **5. Constructive negation for constraint logic programming**
Stuckey, P.J.;

Logic in Computer Science, 1991. LICS '91., Proceedings of
Annual IEEE Symposium on
15-18 July 1991 Page(s):328 - 339
Digital Object Identifier 10.1109/LICS.1991.151657
[AbstractPlus](#) | Full Text: [PDF](#)(964 KB) **IEEE CNF**

- ☐ **6. Apple tasting and nearly one-sided learning**
Helmbold, D.P.; Littlestone, N.; Long, P.M.;
Foundations of Computer Science, 1992. Proceedings., 33
Symposium on
24-27 Oct. 1992 Page(s):493 - 502
Digital Object Identifier 10.1109/SFCS.1992.267802
[AbstractPlus](#) | Full Text: [PDF](#)(804 KB) **IEEE CNF**
- ☐ **7. Infinitary logics and very sparse random graphs**
Lynch, J.F.;
Logic in Computer Science, 1993. LICS '93., Proceedings of
Annual IEEE Symposium on
19-23 June 1993 Page(s):191 - 198
Digital Object Identifier 10.1109/LICS.1993.287588
[AbstractPlus](#) | Full Text: [PDF](#)(464 KB) **IEEE CNF**
- ☐ **8. Which problems have strongly exponential complexity**
Impagliazzo, R.; Paturi, R.; Zane, F.;
Foundations of Computer Science, 1998. Proceedings. 39th
Symposium on
8-11 Nov. 1998 Page(s):653 - 662
Digital Object Identifier 10.1109/SFCS.1998.743516
[AbstractPlus](#) | Full Text: [PDF](#)(168 KB) **IEEE CNF**
- ☐ **9. Uniform proofs and disjunctive logic programming**
Nadathur, G.; Loveland, D.W.;
Logic in Computer Science, 1995. LICS '95. Proceedings.,
IEEE Symposium on
26-29 June 1995 Page(s):148 - 155
Digital Object Identifier 10.1109/LICS.1995.523252
[AbstractPlus](#) | Full Text: [PDF](#)(580 KB) **IEEE CNF**
- ☐ **10. The infinitary logic of sparse random graphs**
Lynch, J.F.; Tyskiewicz, J.;
Logic in Computer Science, 1995. LICS '95. Proceedings.,
IEEE Symposium on
26-29 June 1995 Page(s):46 - 53
Digital Object Identifier 10.1109/LICS.1995.523243
[AbstractPlus](#) | Full Text: [PDF](#)(680 KB) **IEEE CNF**
- ☐ **11. A constraint sequent calculus**
Lassez, J.-L.; McAloon, K.;
Logic in Computer Science, 1990. LICS '90, Proceedings.,
IEEE Symposium on
4-7 June 1990 Page(s):52 - 61
Digital Object Identifier 10.1109/LICS.1990.113733
[AbstractPlus](#) | Full Text: [PDF](#)(592 KB) **IEEE CNF**
- ☐ **12. Algebraic deadlock avoidance policies for conjunctive resource allocation systems**
Jonghun Park; Reveliotis, S.A.;
Robotics and Automation, 2001. Proceedings 2001 ICRA.
International Conference on

Volume 1, 2001 Page(s):70 - 76 vol.1
Digital Object Identifier 10.1109/ROBOT.2001.932532
[AbstractPlus](#) | Full Text: [PDF](#)(616 KB) IEEE CNF

- ☐ **13. Contingency handling in industrial planning**
Secker, J.A.;
Industrial Applications of Machine Intelligence and Vision,
International Workshop on
10-12 April 1989 Page(s):264 - 269
Digital Object Identifier 10.1109/MIV.1989.40561
[AbstractPlus](#) | Full Text: [PDF](#)(396 KB) IEEE CNF
- ☐ **14. Using possibility theory in perception: an application i
vision**
Deveughele, S.; Dubuisson, B.;
Fuzzy Systems, 1993., Second IEEE International Confere
28 March-1 April 1993 Page(s):821 - 826 vol.2
Digital Object Identifier 10.1109/FUZZY.1993.327548
[AbstractPlus](#) | Full Text: [PDF](#)(348 KB) IEEE CNF

[View Selected Items](#)

[Help](#) [Contact](#)

[Secu](#)

© Copyright 2005 IE

Indexed by
 Inspec